

## Beverage Stabilization

### Citric Acid Monohydrate



#### Stabilizer

**Citric Acid Monohydrate stabilizer from Eaton's Begerow Product Line is a fruit acid found in nature. It has been specially selected for application in the beverages industry.**

The specific advantages of Citric Acid Monohydrate stabilizer:

- Highest degree of product purity
- For targeted acid enrichment of wines and basic champagne wines (in Germany up to a maximum content of 8.35 lb/1,000 gal (100 g/hl) citric acid in finished wine and in basic champagne wine; please observe the legislation in the relevant country)
- For acid harmonization in the production of beverages on a fruit or vegetable basis (please observe the legislation in the relevant country)

#### Application

Citric Acid Monohydrate stabilizer should be applied to wine or basic champagne wine only after experiment and tasting to laboratory standards. It is furthermore important to determine the citric acid content already present in the wine, to avoid exceeding the maximum permitted quantity in the finished beverage of 8.35 lb/1,000 gal (100 g/hl) citric acid (in Germany). The addition of citric acid takes place only to the beverage when ready for bottling.

The same applies to the application in the fruit beverages sector, where addition should take place only after composition of the recipe.

Citric Acid Monohydrate stabilizer is dissolved free of lumps in 10 – 20 times the volume of beverage and slowly added to the entire beverage by intensive mixing. After addition, continue mixing for some minutes to ensure even distribution.

#### Safety

If Citric Acid Monohydrate stabilizer is used correctly, there are no known detrimental effects.

Further safety information can be found in the relevant Material Safety Data Sheet, which can be downloaded from our website.

#### Storage

Citric Acid Monohydrate stabilizer should be stored cool and dry. Open packages should be immediately reclosed tightly and quickly used up.

#### Delivery Information

Citric Acid Monohydrate stabilizer is sold under article no. 64.214 and is available in the following package size:

11.02.lb (5 kg)      bucket

Citric Acid Monohydrate stabilizer is sold under article no. HW.002 and is available in the following package size:

55.1 lb (25 kg)      PE/PP bag

HS Customs Tariff: 2918 14 00

#### Certified Quality

Citric Acid Monohydrate stabilizer is monitored regularly during the production process to ensure consistently high quality. These inspections cover technical function criteria as well as compliance with the law governing the production and sale of foodstuffs. Strict controls are also carried out immediately before and during final packing.

**North America - HQ**

44 Apple Street,  
Tinton Falls, NJ 07724  
Toll Free: 800 656-3344  
(North America Only)  
Voice: +1 732 212-4700

**Europe/Africa/Middle East**

Auf der Heide 2  
53947 Nettersheim, Germany  
Voice: +49 2486 809-0

**Internormen Product Line**

Friedensstraße 41  
68804 Altlusheim, Germany  
Voice: +49 6205 2094-0

**Begerow Product Line**

An den Nahewiesen 24  
55450 Langenlonsheim, Germany  
Voice: +49 6704 204-0

**Brazil**

Av. Julia Gaioli, 474 - Bonsucesso  
07251-500 - Guarulhos  
Brazil  
Voice: +55 11 2465 8822

**China**

No. 7 Lane 280 Linhong Road,  
Changning District,  
Shanghai 200335, China  
Voice: +86 21 5200 0422

**Singapore**

4 Loyang Lane #04-01/02  
Singapore 508914  
Voice: +65 6825 1668

For more information, please e-mail us at [filtration@eaton.com](mailto:filtration@eaton.com) or visit us online at [eaton.com/filtration](http://eaton.com/filtration) for a complete list of Eaton's filtration products.

Not all products in Eaton's Begerow Product Line are available in all regions. Please contact your local Eaton office to determine availability.

© 2013 Eaton Corporation. All Rights Reserved. All trademarks and registered trademarks are the property of their respective owners.

All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.



*Powering Business Worldwide*